

Environment Modules

Last update: Apr 12, 2024

Introduction

Environment Modules ("module" command) is an OPTIONAL tool in RCCS.

Notices

- If both of login shell and job scripts are sh/bash/zsh, no extra lines are required.
- If your login shell OR your job script is csh, extra line is required in job script.
 - if your job script is csh script, "source /etc/profile.d/modules.csh" is required in job submission script before using module command
 - if your login shell is csh but the job script is bash script, you need to add "source /etc/profile.d/modules.sh" in the script (" /etc/profile.d/modules.sh" also works).

Basic Usage

Loading/unloading modules can be done with "module" command. This command is available both in login server and computation nodes. Some of packages may be loaded upon login.

You can find packages with "[module avail](#)" command or [from the installed applications page](#). Then, load the package with "[module load](#)" command. List of currently loaded modules can be shown with "[module list](#)" command. Regarding module commands (such as avail, load, list), please also check the next section.

Modules are not available for some of applications. Please check installed applications page mentioned above or /apl directory for them.

Commands

We here show some example of basic commands. However, there are many other useful commands. Please check them [in the official page](#) or search the internet.

- [load](#) - load module(s)
- [unload](#) - unload module(s)
- [purge](#) - upload all the modules
- [avail](#) - show available modules
- [list](#) - show list of loaded modules
- [whatis](#) - show brief descriptions of modules
- [save](#) - save current module list
- [saverm](#) - remove saved module list
- Suppress output with -s option
- Default version
- Job scripts examples
 - /bin/sh
 - /bin/csh

load - load module(s)

unload - unload module(s)

purge - unload all the modules

avail - show available modules

list - show list of loaded modules

whatis - show brief descriptions of modules

save - save current module list

saverm - remove saved module list

Suppress output with -s option

Default version

Job scripts examples

/bin/sh script

```
#!/bin/sh
#PBS select=ncpus=1:mpiprocs=1:ompthreads=1:ngpus=1
#PBS -l walltime=72:00:00

if [ ! -z $PBS_O_WORKDIR ]; then
  cd $PBS_O_WORKDIR
fi

module load amber/20u13

pmemd.cuda -O -i mdin .....
```

If your login shell is csh, you need to add "source /etc/profile.d/modules.sh"(source can be replaced with ".") before module load command.

/bin/csh script

For csh/tcsh, module command is defined as an alias in /etc/profile.d/modules.csh. You don't need a special setting in interactive shell.

However, in the job script, you need to source /etc/profile.d/modules.csh explicitly.

```
#!/bin/csh -f
#PBS select=ncpus=1:mpiprocs=1:ompthreads=1:ngpus=1
#PBS -l walltime=72:00:00

if ( $?PBS_O_WORKDIR ) then
  cd $PBS_O_WORKDIR
endif

source /etc/profile.d/modules.csh # required!
module load amber/20u13

pmemd.cuda -O -i mdin .....
```

Reference

- [Sample Jobs](#)
- [How to compile applications installed in RCCS](#)
- [Official Site of Environment Modules](#)