



```

module purge
module load intel_parallelstudio/2017update4
module load cuda/9.1

cd ${INSTALL_PREFIX}
if [ -d ${NAME} ]; then
  mv ${NAME} lammmps_erase
  rm -rf lammmps_erase &
fi
tar xzf ${LAMMPS_TARBALL}
mv ${NAME}/* .
rm -rf ${NAME}/.git*
rmdir ${NAME}

# setup makefiles, libraries, and external resources
## main
mkdir -p src/MAKE/MINE
sed -e "/intel_cpu_intelmpi/s./*/# rccs = USER-INTEL package, Intel MPI, MKL FFT/" src/MAKE/OPTIONS/Makefile.intel_cpu >
src/MAKE/MINE/Makefile.rccs
## atc
( cd lib/atc && \
  sed -e s/icc/mpiicc/ -e s/lammmps.installed/lammmps.empty/ Makefile.icc > Makefile.rccs && \
  make -f Makefile.rccs -j ${PARALLEL} && \
  cd ../.. )
## awpmd
( cd lib/awpmd && \
  sed -e s/linalg/empty/ -e s/mpicxx/mpiicc/ Makefile.mpi > Makefile.rccs && \
  make -f Makefile.rccs -j ${PARALLEL} && \
  cd ../.. )
## colvars
( cd lib/colvars && \
  sed -e s/mpicxx/mpiicc/ -e s/-funroll-loops/-unroll/ Makefile.mpi > Makefile.rccs && \
  make -f Makefile.rccs -j ${PARALLEL} && \
  cd ../.. )
## gpu
export CUDA_HOME=/local/apl/lx/cuda-9.1
LAMMPS_CUDA_ARCH="sm_70" # V100
buildgpu
## h5md
( cd lib/h5md && \
  make -f Makefile.mpi -j ${PARALLEL} && \
  cd ../.. )
### latte (make jobserver not available?)
( cd lib/latte && \
  curl -L -o "LATTE.tar.gz" https://github.com/lanl/LATTE/archive/v${LATTE_VER}.tar.gz && \
  tar xzf LATTE.tar.gz && \
  cd LATTE-${LATTE_VER} && \
  sed -i -e "s/^FC = */FC = ifort/" -e "s/fopenmp/qopenmp -fPIC/" -e "s/^LIB = */LIB = -mkl=parallel/" makefile.CHOICES && \
  make && \
  cd ../ && \
  ln -s LATTE-${LATTE_VER}/src/includelink && \
  ln -s LATTE-${LATTE_VER} liblink && \
  ln -s LATTE-${LATTE_VER}/src/latte_c_bind.o filelink.o && \
  echo "latte_SYSINC =" > Makefile.lammmps && \
  echo "latte_SYSLIB = -qopenmp ../lib/latte/filelink.o -llatte -lifport" >> Makefile.lammmps && \
  echo -n "latte_SYSPATH = -qopenmp" >> Makefile.lammmps && \
  cd ../.. )
## meam
( cd lib/meam && \
  sed -e s/mpifort/mpiifort/ -e s/mpicc/mpiicc/ -e s/mpicxx/mpiicpc/ Makefile.mpi > Makefile.rccs && \
  make -f Makefile.rccs -j ${PARALLEL} && \
  cd ../.. )
### molfile
( cd lib/molfile && \

```

```

sed -i -e "s/molfile_SYSINC.*/molfile_SYSINC =-I$VMD_PLUGIN_INC/" Makefile.lammps && \
cd ../..)
## poems
( cd lib/poems && \
make -f Makefile.icc -j ${PARALLEL} && \
cd ../..)
## reax
( cd lib/reax && \
make -f Makefile.ifort -j ${PARALLEL} && \
cd ../..)
## voronoi
( cd lib/voronoi && \
wget ${VORO} && \
tar xzf voro+-${VORO_VER}.tar.gz && \
cd voro+-${VORO_VER} && \
sed -i -e "s/^CXX=.*CXX=icpc/" -e "s/^CFLAGS=.*CFLAGS=-Wall -O3 -fPIC/" config.mk && \
make -j ${PARALLEL} && \
cd ../) && \
ln -s voro+-${VORO_VER}/src includelink && \
ln -s voro+-${VORO_VER}/src liblink && \
cd ../..)

#----

# make volta version
cd src
make yes-all no-ext
make no-KOKKOS \
yes-GPU \
yes-LATTE \
yes-VORONOI \
yes-USER-H5MD \
yes-USER-MOLFILE \
yes-USER-NETCDF
make -j ${PARALLEL} rccs
make -j ${PARALLEL} rccs mode=shlib
mv lmp_rccs lmp_rccs_volta
mv liblammps_rccs.so liblammps_rccs_volta.so
cd ../

#----

# make pascal version
module switch cuda/8.0
export CUDA_HOME=/local/apl/lx/cuda-8.0
LAMMPS_CUDA_ARCH="sm_60" # P100
buildgpu
cd src
make no-GPU
make yes-GPU
make -j ${PARALLEL} rccs
make -j ${PARALLEL} rccs mode=shlib
mv lmp_rccs lmp_rccs_gpu
mv liblammps_rccs.so liblammps_rccs_gpu.so
cd ../

#----

# make default non-gpu version (just for easier use)
module unload cuda
cd src
make no-GPU
make -j ${PARALLEL} rccs
make -j ${PARALLEL} rccs mode=shlib
cd ../

```

## Package List

ASPHERE, BODY, CLASS2, COLLOID, COMPRESS, CORESHELL, DIPOLE, (GPU; only for GPU version), GRANULAR, KSPACE, LATTE, MANYBODY, MC, MEAM, MISC, MOLECULE, MPIIO, OPT, PERI, POEMS, PYTHON, QEQ, REAX, REPLICA, RIGID, SHOCK, SNAP, SPIN, SRD, VORONOI

USER-ATC, USER-AWPMD, USER-BOCS, USER-CGDNA, USER-CGSDK, USER-COLVARS, USER-DIFFRACTION, USER-DPD, USER-DRUDE, USER-EFF, USER-FEP, USER-H5MD, USER-INTEL, USER-LB, USER-MANIFOLD, USER-MEAMC, USER-MESO, USER-MGPT, USER-MISC, USER-MOFFF, USER-MOLFILE, USER-NETCDF, USER-OMP, USER-PHONON, USER-QTB, USER-REAXC, USER-SMTBQ, USER-SPH, USER-TALLY, USER-UEF

## Test

(Environment settings are done elsewhere; Volta version is not yet tested)

```
#!/bin/sh

VERSION=22Aug18
WORKDIR=/home/users/${USER}/ramdisk
LAMMPDIR=/local/apl/lx/lammps${VERSION}
LAMMPSTESTS=/home/users/${USER}/lammps-testing-master.20181025.zip
LAMMPDIR_EXC=`echo $LAMMPDIR | sed -e 's/V/\\\\V/g'`

export LD_LIBRARY_PATH="${LD_LIBRARY_PATH}:${LAMMPDIR}/src"
export PYTHONPATH="${PYTHONPATH}:${LAMMPDIR}/python"

JOBNAME=basic

# classification
NOAVAIL="mscg kim USER/quip USER/misc/i-pi"
NODE1="gcmc"
NODES3="tad neb USER/dpd/dpdrx-shardlow"
STALL="USER/eff/ECP/Si2H6 USER/eff/CH4"
STALL_INTEL="balance"
UNKNOWN="USER/misc/pimd USER/misc/grem USER/atc COUPLE ASPHERE/tri ASPHERE/line"
TOOLONG="USER/misc/imd USER/lb"
EXCLUDES="${NOAVAIL} ${NODE1} ${NODES3} ${STALL} ${STALL_INTEL} ${UNKNOWN} ${TOOLONG}"

cd $WORKDIR
if [ -d lammps-testing-master ]; then
  mv lammps-testing-master lammps-testing-master_erase
  rm -rf lammps-testing-master_erase &
fi

unzip ${LAMMPSTESTS}

cd lammps-testing-master

# mod and prep some files
sed -i -e "s/^read_data.*/read_data    ${LAMMPDIR_EXC}\\bench\\data.rhodo/" tests/examples/accelerate/in.rhodo
sed -i -e "s/^pair_coeff.*/pair_coeff    ** ${LAMMPDIR_EXC}\\potentials\\Cu_mishin1.eam.alloy Cu/" tests/examples/USER/misc/ti/in.ti_spring
cp ${LAMMPDIR}\\potentials\\{CC.KC,CH.airebo} tests/examples/USER/misc/kolmogorov-crespi

# basic tests
NPROCS=4
python \
  lammps_testing/regression.py \
  ${JOBNAME} \
  "mpirun -np ${NPROCS} ${LAMMPSBIN}" \
  ${WORKDIR}/lammps-testing-master/tests/examples/ \
  -exclude ${EXCLUDES}

# gcmc
NPROCS=1
python \
  lammps_testing/regression.py \
  ${JOBNAME} \
```

```

"mpirun -np ${NPROCS} ${LAMMPSBIN}" \
${WORKDIR}/lammeps-testing-master/tests/examples/ \
-only ${NODE1}
# tad
NPROCS=3
python \
  lammeps_testing/regression.py \
  ${JOBNAME} \
"mpirun -np ${NPROCS} ${LAMMPSBIN} -partition 3x1" \
${WORKDIR}/lammeps-testing-master/tests/examples/ \
-only tad
# neb(sivac)
NPROCS=3
TESTDIR=tests/examples/neb
mv ${TESTDIR}/in.neb.hop1 ${TESTDIR}/in.neb.hop1
mv ${TESTDIR}/in.neb.hop2 ${TESTDIR}/in.neb.hop2
python \
  lammeps_testing/regression.py \
  ${JOBNAME} \
"mpirun -np ${NPROCS} ${LAMMPSBIN} -partition 3x1" \
${WORKDIR}/lammeps-testing-master/tests/examples/ \
-only neb
mv ${TESTDIR}/in.neb.hop1 ${TESTDIR}/in.neb.hop1
mv ${TESTDIR}/in.neb.hop2 ${TESTDIR}/in.neb.hop2
# neb(hop1,hop2)
NPROCS=4
TESTDIR=tests/examples/neb
mv ${TESTDIR}/in.neb.sivac ${TESTDIR}/in.neb.sivac
python \
  lammeps_testing/regression.py \
  ${JOBNAME} \
"mpirun -np ${NPROCS} ${LAMMPSBIN} -partition 4x1" \
${WORKDIR}/lammeps-testing-master/tests/examples/ \
-only neb
mv ${TESTDIR}/in.neb.sivac ${TESTDIR}/in.neb.sivac
# dpdx-shardlow
NPROCS=3
python \
  lammeps_testing/regression.py \
  ${JOBNAME} \
"mpirun -np ${NPROCS} ${LAMMPSBIN} -partition 3x1" \
${WORKDIR}/lammeps-testing-master/tests/examples/ \
-only USER/dpd/dpdx-shardlow
# ECP(Si2H6)
NPROCS=4
TESTDIR=tests/examples/USER/eff/ECP/Si2H6
mv ${TESTDIR}/in.Si2H6.ang ${TESTDIR}/in.Si2H6.ang
python \
  lammeps_testing/regression.py \
  ${JOBNAME} \
"mpirun -np ${NPROCS} ${LAMMPSBIN}" \
${WORKDIR}/lammeps-testing-master/tests/examples/ \
-only USER/eff/ECP/Si2H6
mv ${TESTDIR}/in.Si2H6.ang ${TESTDIR}/in.Si2H6.ang
# ECP(CH4)
NPROCS=4
TESTDIR=tests/examples/USER/eff/CH4
mv ${TESTDIR}/in.ch4_ionized.dynamics ${TESTDIR}/in.ch4_ionized.dynamics
python \
  lammeps_testing/regression.py \
  ${JOBNAME} \
"mpirun -np ${NPROCS} ${LAMMPSBIN}" \
${WORKDIR}/lammeps-testing-master/tests/examples/ \
-only USER/eff/CH4
mv ${TESTDIR}/in.ch4_ionized.dynamics ${TESTDIR}/in.ch4_ionized.dynamics

```

```

# USER/lb
NPROCS=4
TESTDIR1=tests/examples/USER/lb/polymer
mv ${TESTDIR1}/in.polymer_setgamma ${TESTDIR1}/In.polymer_setgamma
mv ${TESTDIR1}/in.polymer_default_gamma ${TESTDIR1}/In.polymer_default_gamma
TESTDIR2=tests/examples/USER/lb/fourspheres
mv ${TESTDIR2}/in.fourspheres_set_gamma ${TESTDIR2}/In.fourspheres_set_gamma
mv ${TESTDIR2}/in.fourspheres_default_gamma ${TESTDIR2}/In.fourspheres_default_gamma
python \
  lammgs_testing/regression.py \
  ${JOBNAME} \
  "mpirun -np ${NPROCS} ${LAMMPSBIN}" \
  ${WORKDIR}/lammgs-testing-master/tests/examples/ \
  -only USER/lb
mv ${TESTDIR1}/In.polymer_setgamma ${TESTDIR1}/in.polymer_setgamma
mv ${TESTDIR1}/In.polymer_default_gamma ${TESTDIR1}/in.polymer_default_gamma
mv ${TESTDIR2}/In.fourspheres_set_gamma ${TESTDIR2}/in.fourspheres_set_gamma
mv ${TESTDIR2}/In.fourspheres_default_gamma ${TESTDIR2}/in.fourspheres_default_gamma
# balance
NPROCS=4
TESTDIR=tests/examples/balance
mv ${TESTDIR}/in.balance.bond.fast ${TESTDIR}/In.balance.bond.fast
mv ${TESTDIR}/in.balance.bond.slow ${TESTDIR}/In.balance.bond.slow
mv ${TESTDIR}/in.balance.neigh.rcb ${TESTDIR}/In.balance.neigh.rcb
mv ${TESTDIR}/in.balance ${TESTDIR}/In.balance
python \
  lammgs_testing/regression.py \
  ${JOBNAME} \
  "mpirun -np ${NPROCS} ${LAMMPSBIN}" \
  ${WORKDIR}/lammgs-testing-master/tests/examples/ \
  -only balance
mv ${TESTDIR}/In.balance.bond.fast ${TESTDIR}/in.balance.bond.fast
mv ${TESTDIR}/In.balance.bond.slow ${TESTDIR}/in.balance.bond.slow
mv ${TESTDIR}/In.balance.neigh.rcb ${TESTDIR}/in.balance.neigh.rcb
mv ${TESTDIR}/In.balance ${TESTDIR}/in.balance

```

## Test Results

(The results are common for both of CPU and GPU versions.)

- USER/eff/Li-dendritic: Missing files? Cannot run.
- tad/tad: Error on data send/receive
- neb/neb.sivac: problem on file name for comparison. Some numerical errors also exist.
- neb/neb.hop1: problem on file name for comparison. Some numerical errors also exist.
- neb/neb.hop2: problem on file name for comparison. Minor numerical errors.
- dpd/dpdx-shardlow: problem on file name for comparison. The 0th step seems to be ok, but 1st step (and later) data are different from ref.
- balance/balance.var.dynamics: minor numerical error.
- balance/balance.kspace: numerical error.
- balance/balance.clock.dynamic: minor numerical error.

comments on tests not even performed.

- balance/balance.neigh.rcb: stalled (may work if built with GCC)
- balance/balance.bond.slow: stalled (may work if built with GCC)
- balance/balance.bond.fast: stalled (may work if built with GCC)
- balance/balance: stalled (may work if built with GCC)
- mscg kim USER/quip USER/misc/i-pi: package not installed
- USER/eff/ECP/Si2H6/Si2H6.ang: stalled
- USER/eff/CH4/ch4\_ionized.dynamics: stalled
- USER/misc/pimd USER/misc/grem USER/atc COUPLE ASPHERE/tri ASPHERE/line: missing files etc.
- USER/misc/imd USER/lb: just too time consuming

## Notices

- module names (the contents are almost the same (except for CUDA setting))
  - CPU version: lammgs/22Aug18/intel
  - GPU version: lammgs/22Aug18/intel-CUDA

- Files (exe, src, and others) locate under /local/apl/lx/lammps22Aug18 directory.
- CPU version exe is /local/apl/lx/lammps22Aug18/src/lmp\_rccs
- GPU version exe is /local/apl/lx/lammps22Aug18/src/lmp\_rccs\_gpu
- Vmd molfile plugins locate in /local/apl/lx/vmd193/lib/plugins/LINUXAMD64/molfile directory.
- Sample input and jobscript can be found at /local/apl/lx/lammps22Aug18/samples directory.