

NWChem-7.2.3

Webpage

<https://nwchemgit.github.io/>

Version

7.2.3

Build Environment

- GCC 13.1.1 (gcc-toolset-13)
- Intel MKL 2025.0.0.1 (oneAPI 2025.0.1)
- Open MPI 4.1.8

Files Required

- nwchem-7.2.3-release.revision-d690e065-src.2024-08-27.tar.bz2
- runtest.md.mpi

```
#!/bin/sh
./runtests.mpi.unix procs 48 \
na_k/nak \
na_k/nak_md \
crown/crown_md \
ethanol/ethanol_md \
ethanol/ethanol_ti \
had/had_em \
had/had_md \
prep/a3n \
prep/aal \
prep/fsc \
water/water_md
```

Build Procedure

```
#!/bin/sh

VERSION=7.2.3
INSTALL_PREFIX=/apl/nwchem/7.2.3

BASEDIR=/home/users/${USER}/Software/NWChem/${VERSION}
TARBALL=${BASEDIR}/nwchem-7.2.3-release.revision-d690e065-src.2024-08-27.tar.bz2

WORKDIR=/gwork/users/${USER}/nwchem-release

#-----
umask 0022
export LANG=C
ulimit -s unlimited

module -s purge
module -s load gcc-toolset/13
module -s load mkl/2025.0.0.1
module -s load openmpi/4.1.8/gcc13

cd ${WORKDIR}
if [ -d nwchem-${VERSION} ]; then
  mv nwchem-${VERSION} nwchem-erase
  rm -rf nwchem-erase &
fi

tar jxf ${TARBALL}
```

```

export NWCHEM_TOP=${WORKDIR}/nwchem-${VERSION}
export NWCHEM_MODULES="all python"
export NWCHEM_TARGET=LINUX64
export ARMCI_NETWORK=MPI-PR

export USE_OPENMP=y
export USE_MPI=y
export USE_MPIF=y
export USE_MPIF4=y

export USE_NOFSCHECK=TRUE
export USE_NOIO=TRUE
export MRCC_METHODS=TRUE
export CCSDTQ=TRUE
export LIB_DEFINES=-DDFLT_TOT_MEM=180000000 # 1.8 GB/process

export PYTHONVERSION=3.6

export BLAS_SIZE=8
export BLASOPT="-m64 -L${MKLRROOT}/lib -Wl,--no-as-needed -lmkl_gf_ilp64 -lmkl_gnu_thread -lmkl_core -lgomp -lpthread -lm -ldl"
export LAPACK_SIZE=8
export LAPACK_LIB="${BLASOPT}"
export USE_SCALAPACK=y
export SCALAPACK_SIZE=8
export SCALAPACK="-m64 -L${MKLRROOT}/lib -lmkl_scalapack_ilp64 -Wl,--no-as-needed -lmkl_gf_ilp64 -lmkl_gnu_thread -lmkl_core -lmkl_blacs_openmpi_ilp64 -lgomp -lpthread -lm -ldl"

cd ${NWCHEM_TOP}/src

# cheat
mkdir ../bin
ln -s /usr/libexec/platform-python3.6-config ../bin/python3.6-config
export PATH="${PATH}:${NWCHEM_TOP}/bin:${NWCHEM_TOP}/QA"

make nwchem_config
make

# involve also version info
cd ${NWCHEM_TOP}/src/util
make version
make
cd ${NWCHEM_TOP}/src
make link
cd ${NWCHEM_TOP}

# installation
mkdir -p ${INSTALL_PREFIX}
cp -fr LICENSE.TXT README.md release.notes.* examples ${INSTALL_PREFIX}

mkdir -p ${INSTALL_PREFIX}/bin

cp -f ${NWCHEM_TOP}/bin/${NWCHEM_TARGET}/nwchem ${INSTALL_PREFIX}/bin
chmod 755 ${INSTALL_PREFIX}/bin/nwchem

cp -fr ${NWCHEM_TOP}/src/data          ${INSTALL_PREFIX}
cp -fr ${NWCHEM_TOP}/src/basis/libraries ${INSTALL_PREFIX}/data
cp -fr ${NWCHEM_TOP}/src/basis/libraries.bse ${INSTALL_PREFIX}/data
cp -fr ${NWCHEM_TOP}/src/nwppw/libraryyps ${INSTALL_PREFIX}/data

# create default.nwchemrc
cat << EOS > ${INSTALL_PREFIX}/default.nwchemrc
nwchem_basis_library ${INSTALL_PREFIX}/data/libraries/
nwchem_nwppw_library ${INSTALL_PREFIX}/data/libraryyps/
ffield amber
amber_1 ${INSTALL_PREFIX}/data/amber_s/
amber_2 ${INSTALL_PREFIX}/data/amber_x/

```

```

#amber_3 ${INSTALL_PREFIX}/data/amber_q/
#amber_4 ${INSTALL_PREFIX}/data/amber_u/
spce  ${INSTALL_PREFIX}/data/solvents/spce.rst
charmm_s ${INSTALL_PREFIX}/data/charmm_s/
charmm_x ${INSTALL_PREFIX}/data/charmm_x/
EOS

# some tests need this...
cp -f ${INSTALL_PREFIX}/default.nwchemrc ~/.nwchemrc

# run test
export NWCHEM_EXECUTABLE=${INSTALL_PREFIX}/bin/nwchem
export OMP_NUM_THREADS=1

cd ${NWCHEM_TOP}/QA
./doqmtests.mpi 2 fast >& doqmtests.mpi.fast.log

mv testoutputs testoutputs-serial

mkdir -p ${INSTALL_PREFIX}/testlog
cp -fr doqmtests.mpi.fast.log \
    testoutputs-serial \
    ${INSTALL_PREFIX}/testlog

```

Tests

Parallel test was submitted as a job with the script below.

```

#!/bin/sh
#PBS -l select=1:ncpus=48:mpiprocs=48:ompthreads=1
#PBS -l walltime=24:00:00

VERSION=7.2.3
INSTALL_PREFIX=/apl/nwchem/7.2.3

BASEDIR=/home/users/${USER}/Software/NWChem/${VERSION}

WORKDIR=/gwork/users/${USER}/nwchem-release

RUNTESTMD=runtest.md.mpi
RUNTESTMD_PATH=${BASEDIR}/${RUNTESTMD}

#-----
umask 0022
export LANG=C
ulimit -s unlimited

module -s purge
module -s load gcc-toolset/13
module -s load mkl/2025.0.0.1
module -s load openmpi/4.1.8/gcc13

export NWCHEM_TOP=${WORKDIR}/nwchem-${VERSION}
# run test
export NWCHEM_EXECUTABLE=${INSTALL_PREFIX}/bin/nwchem
export PATH="$PATH:$NWCHEM_TOP/QA"

cd ${NWCHEM_TOP}/QA

./doqmtests.mpi 48 >& doqmtests.mpi.log
cp -f ${RUNTESTMD_PATH} .
sh ${RUNTESTMD} >& runttest.md.mpi.log

mv testoutputs testoutputs-mpi

mkdir -p ${INSTALL_PREFIX}/testlog
cp -fr doqmtests.mpi.log \

```

```
runtest.md.mpi.log \  
testoutputs-mpi \  
${INSTALL_PREFIX}/testlog
```

Test Results

Copy of the results are available at `/apl/nwchem/7.2.3/testlog`.

List of failed tests: serial version (`doqmtests.mpi.fast.log`)

- `h2o-b3lyp-disp/h2o-b3lyp-disp => insufficient memory specification in the input file`
- `(oh2/oh2 => to be failed)`
- `dft_siosi3/dft_siosi3 => insufficient memory specification in the input file`
- `tce_cr_eom_t_ozone/tce_cr_eom_t_ozone => 0:createfile:failed ga_create size/nproc bytes:`
- `tce_mrcc_bwcc/tce_mrcc_bwcc => minor numerical error (-76.0643135404 vs -76.0643135403)`
- `tce_mrcc_mkcc/tce_mrcc_mkcc => minor numerical error (-76.0630229504 vs -76.0630229503 & -76.0702306002 vs -76.0702306001)`
- `tce_mrcc_bwcc_subgroups/tce_mrcc_bwcc_subgroups => Caught signal 8 (Floating point exception: integer divide by zero)`
- `qmmm_grad0/qmmm_grad0 => insufficient memory specification in the input file`
- `lys_qmmm/lys_qmmm => same as above`
- `ethane_qmmm/ethane_qmmm => same as above`
- `qmmm_freq/qmmm_freq => same as above`
- `h2o-b3lyp-disp/h2o-b3lyp-disp => same as above`
- `o2_ccca/o2_ccca => 0:createfile: failed ga_create size/nproc bytes:`

List of failed tests: parallel version (`doqmtests.mpi.log`)

- `h2o-b3lyp-disp/h2o-b3lyp-disp, oh2/oh2, qmmm_grad0/qmmm_grad0, lys_qmmm/lys_qmmm, ethane_qmmm/ethane_qmmm, qmmm_freq/qmmm_freq, h2o-b3lyp-disp/h2o-b3lyp-disp => same error as serial version`
- `tce_cc2_c2/tce_cc2_c2 => not enough memory on node`
- `k6h2o/k6h2o => k6h2o.err: No such file or directory (not enough memory on node?)`
- `tddftgrad_h2o_cis_lda/tddftgrad_h2o_cis_lda => failed without message. The calculation was completed.`
- `rt_tddft_mocap/rt_tddft_mocap => not enough memory on node`
- `rt_tddft_water_abs_spec/rt_tddft_water_abs_spec => same as above`
- `p2ta-vem/p2ta-vem => insufficient memory specification in the input file`

List of failed tests: MD (`runtest.md.mpi.log`)

- `na_k/nak_md => ?`
- `crown/crown_md => ethanol_md.err: No such file or directory (not enough memory on node?)`
- `ethanol/ethanol_md => ethanol_md.err: No such file or directory (not enough memory on node?)`
- `ethanol/ethanol_ti => ethanol_ti.err: No such file or directory (not enough memory on node?)`
- `had/had_em => 0: Dimension mwm too small 0`
- `had/had_md => ?`
- `prep/a3n => Unresolved atom types in fragment HEM`

Notes

- Basically follows [7.2.2](#).
- Calculation suddenly stops when Intel MPI was employed regardless of compiler type (gcc, intel classic, intel llvm).
 - Open MPI is free from the issue.
- MKL is better than OpenBLAS in terms of performance. This is the same as previous versions.
- Performance of Intel 2025 (llvm; icx, icpx, ifx) version is worse than gcc.
 - Minor tweak necessary upon build (`sed -i -e "s/ -openmp/ -qopenmp/" -e "s/ifort/ifx/" config/makefile.h` etc.)
- Intel Compiler Classic 2023 (icc, icpc, ifort) version shows better performance than gcc in some general cases. However, this version is sometimes extremely slow or simply emits errors.
- A lot of TSAN warning messages are displayed for `gcc13+mkl 2025.0.0.1+libiomp5` or `intel2025 (llvm)+mkl` cases.
 - (e.g.) Warning: please export `TSAN_OPTIONS='ignore_noninstrumented_modules=1'` to avoid false positive reports from the OpenMP runtime!
 - TSAN => thread sanitizer?
 - No significant changes in the performance or the test results, though.