

Molpro 2025.3.0

Webpage

<https://www.molpro.net/>

Version

2025.3.0

Build Environment

- GCC 13.3.1 (gcc-toolset-13)
- Intel MPI 2021.14.1
- Eigen 3.4.0
- OpenBLAS 0.3.29 (lp64)

Files Required

- molpro-2025.3.0.tar.gz
- ga-5.9.tar.gz
- hdf5-1.14.6.tar.gz
- token

Patch files:

- work.patch
- patch-argos-binput.F
- patch-cic-ltfFortranInt.h
- patch-common_modules-common_cconf
 - Some parameter values for large CI calculations and default path of temporary directory were changed.
 - Patch files are available in /apl/molpro/2025.1.0/patches.

Build Procedure

Global Arrays 5.9

```
#!/bin/sh

GA_VERSION=5.9
GA_TARBALL=/home/users/${USER}/Software/GlobalArrays/${GA_VERSION}/ga-${GA_VERSION}.tar.gz

WORKDIR=/gwork/users/${USER}
INSTALL_DIR=/apl/molpro/2025.3.0/ga-5.9

PARALLEL=12

#-----
umask 0022
ulimit -s unlimited

export LANG=
export LC_ALL=C
export OMP_NUM_THREADS=1

cd ${WORKDIR}
if [ -d ga-${GA_VERSION} ]; then
    mv ga-${GA_VERSION} ga_tmp
    rm -rf ga_tmp &
fi
if [ -d ${INSTALL_DIR} ]; then
    rm -rf ${INSTALL_DIR}
fi
```

```

module -s purge
module -s load gcc-toolset/13
module -s load intelmpi/2021.14.1

tar xf ${GA_TARBALL}
cd ga-${GA_VERSION}

export CFLAGS="-mpc80"
export FFLAGS="-mpc80"
export FCFLAGS="-mpc80"
export CXXFLAGS="-mpc80"

./autogen.sh
CC=mpicc CXX=mpicxx FC=mpif90 ./configure \
--prefix=${INSTALL_DIR} \
--with-mpi-pr \
--enable-i8 \
--with-blas=no \
--with-lapack=no \
--with-scalapack=no \
--disable-f77

make -j${PARALLEL}
make install
make check

```

HDF5 1.14.6

```

#!/bin/sh

MOLPRO_VERSION=2025.3.0
VERSION=1.14.6
INSTALL_PREFIX=/apl/molpro/2025.3.0/hdf5-${VERSION}

BASEDIR=/home/users/${USER}/Software/HDF5/${VERSION}
TARBALL=${BASEDIR}/hdf5-${VERSION}.tar.gz
WORKDIR=/gwork/users/${USER}

PARALLEL=16
export LANG=C

#-----
umask 0022

module -s purge
module -s load gcc-toolset/13
module -s load intelmpi/2021.14.1

cd ${WORKDIR}
if [ -d hdf5-${VERSION} ]; then
  mv hdf5-${VERSION} hdf5-erase
  rm -rf hdf5-erase &
fi

tar zxf ${TARBALL}
cd hdf5-${VERSION}
mkdir build && cd build
cmake .. \
-DCMAKE_INSTALL_PREFIX=${INSTALL_PREFIX} \
-DHDF5_BUILD_FORTRAN=ON \
-DHDF5_ENABLE_PARALLEL=ON \
-DMPIEXEC_MAX_NUMPROCS=${PARALLEL}
make -j${PARALLEL}
make install
make test

```

```

#!/bin/sh

MOLPRO_VERSION=2025.3.0
MOLPRO_DIRNAME=molpro-${MOLPRO_VERSION}
BASEDIR=/home/users/${USER}/Software/Molpro/${MOLPRO_VERSION}
MOLPRO_TARBALL=${BASEDIR}/${MOLPRO_DIRNAME}.tar.gz

PATCH0=${BASEDIR}/work.patch
PATCH1=${BASEDIR}/patch-argos-binput.F
PATCH2=${BASEDIR}/patch-cic-ltfFortranInt.h
PATCH3=${BASEDIR}/patch-common_modules-common_cconf

TOKEN=${BASEDIR}/token

WORKDIR=/gwork/users/${USER}
INSTALLDIR=/apl/molpro/${MOLPRO_VERSION}
GA_ROOT=${INSTALLDIR}/ga-5.9
HDF5_ROOT=${INSTALLDIR}/hdf5-1.14.6

PARALLEL=12

#-----
umask 0022
ulimit -s unlimited

export LANG=
export LC_ALL=C
export OMP_NUM_THREADS=2

cd ${WORKDIR}
if [ -d ${MOLPRO_DIRNAME} ]; then
  mv ${MOLPRO_DIRNAME} molpro_tmp
  rm -rf molpro_tmp &
fi

module -s purge
module -s load gcc-toolset/13
module -s load intelmpi/2021.14.1
module -s load eigen/3.4.0
module -s load openblas/0.3.29-lp64

cd ${WORKDIR}
tar xf ${MOLPRO_TARBALL}
cd ${MOLPRO_DIRNAME}

patch -p0 < ${PATCH0}
patch -p0 < ${PATCH1}
patch -p0 < ${PATCH2}
patch -p0 < ${PATCH3}

export CFLAGS="-mpc80"
export FFLAGS="-mpc80"
export FCFLAGS="-mpc80"
export CXXFLAGS="-mpc80"
export CPPFLAGS="-I${GA_ROOT}/include -I${HDF5_ROOT}/include"
export LDFLAGS="-L${GA_ROOT}/lib -L${HDF5_ROOT}/lib

export F77=mpif90
export F90=mpif90
export FC=mpif90
export CC=mpicc
export CXX=mpicxx
export MPIF77=mpif90
export MPICC=mpicc
export MPICXX=mpicxx

```

```

export PATH="${GA_ROOT}/bin:${PATH}" # where ga-config resides
export PATH="${HDF5_ROOT}/bin:${PATH}" # where h5pcc resides
export LD_LIBRARY_PATH="${HDF5_ROOT}/lib:${LD_LIBRARY_PATH}"

./configure --prefix=${INSTALLDIR} \
    --enable-aims \
    --enable-slater \
    --enable-openmp \
    --with-lapack="-L/apl/openblas/0.3.29/lp64/lib -lopenblas"

make -j ${PARALLEL}
cp ${TOKEN} lib/.token

make install
MOLPRO_OPTIONS="" make quicktest
MOLPRO_OPTIONS="-n2" make test

cp -a testjobs ${INSTALLDIR}/molpro*
cp -a bench ${INSTALLDIR}/molpro*

```

Tests

All test tests of GA and Molpro were passed successfully.

MPI_TEST_H5_f90_ph5_f90_filtered_writes_no_sel test of HDF5-1.14.6 failed. Test log is available in /apl/molpro/2025.3.0/hdf5-1.14.6/testlog.

Notes

- OpenBLAS is employed as a BLAS library, since OpenBLAS version shows better performance than MKL one for some jobs.
- GCC14 + GA-5.9.2 + Intel MPI 2021.16.1 version sometimes hung at the very beginning stage if large number of MPI processes are employed (confirmed with 64 MPI procs).
 - The cause is unknown. The affected jobs appear to have entered a deadlock during the initialization of GA.
 - The specific conditions under which it occurs have not yet been determined.
 - This issue has not been observed for GCC13 + GA-5.9 + Intel MPI 2021.14.1 build so far.
- HDF5 with parallel support is required for this version.
- We attempted to build Molpro with cmake, but the build failed.
 - GMB can be enabled only via cmake? Configure does not have an option for GMB.
- GA also supports build with cmake. However, that build does not install ga-config?
 - (Tested with GA-5.9.2. Not tested with GA-5.9.)