

Known Issues

(Last update: Feb 6, 2025)

Known Issues

- Several problems have been reported for HPC-X 2.13.1 (openmpi/4.1.5-hpcx). Please use other versions of Open MPI or HPC-X.
 - For binaries built with HPC-X 2.13.1 (openmpi/4.1.5-hpcx), please use HPC-X 2.11 (openmpi/4.1.4-hpcx) for runtime library.
- Molpro has problem with Intel MPI 2021.7.1.
 - Intel MPI 2021.5.1, 2021.8.0, and 2021.9.0 are free from this issue. It hangs only when runtime library of Intel MPI 2021.7.1 is employed.
- Molpro built with Open MPI sometimes hangs when [disk option](#) is employed.
 - MVAPICH version is also OK. However, in some types of calculations, MVAPICH version is terribly slow.
 - Open MPI version works fine if "--ga-impl ga" option is added. That option is properly added in sample job scripts.
- Molpro 2024.x built with Intel MPI (/apl/molpro/2024.x.0) sometimes aborted during calculation.
 - This happens occasionally when Disk option (GA implementation: MPI file) is enabled and directory under /gwork is used for global scratch directory.
 - This issue will not happen when directory under /lwork is used for global scratch directory (with -D option). The sample job scripts were modified accordingly. (Feb 6, 2025)
 - (/gwork is on lustre. /lwork is on local disk.)
 - (If you use /lwork for scratch directory with "-d" option, that directory is also used for global scratch disk for "MPI file".)
 - This issue might not happen when the node is occupied by the molpro job (ncpus=128). Some internal functionality of Intel MPI may be related to this issue. (The root cause should be on system side (kernel, lustre, etc.), though.)
- OpenMolcas will meet errors when large number of MPI processes are involved.
 - It seems more likely that there is a problem with OpenMolcas parallel processing (in RI related routines, and many places).
 - As far as we are concerned, serial runs are not influenced by this issue. Please increase number of MPI processes gradually.
- MPI version of Siesta 4.1.5 is sometimes very slow when Open MPI and MKL are employed. We leave it unchanged for the time being because we couldn't find a solution
 - Intel MPI 2021.7.1 build does not work properly. Not employing MKL and Intel MPI seems to improve the stability of computation speed. It is not remarkable, though.
 - Intel Compiler + Scalapack (i.e. without MKL) version failed on scalapack tests.

Completed Issues

- Programs hang when hcoll is enabled.
 - This happens for hcoll of HPC-X 2.11 (Open MPI 4.1.4), HPC-X 2.13.1, and MLNX OFED 5.9 (used during FY2022-2023).
 - HPC-X 2.11: hcoll v4.7.3208 (1512342c)
 - HPC-X 2.13.1: hcoll v4.8.3220 (2e96bc4e)
 - MLNX OFED 5.9: hcoll v4.8.3221 (b622bfb) (/opt/mellanox/hcoll)
 - Hcoll v4.8.3223 (in MLNX OFED 23.10 (updated in maintenance on Apr 1-4, 2024) and HPC-X 2.16 (openmpi/4.1.5-hpcx2.16)) is not verified.
 - Libhcoll related issues were practically solved by disabling it in the maintenance on Jan 9, 2024.
 - If you want to use libhcoll with Intel MPI, please remove/modify I_MPI_COLL_EXTERNAL environment variable in your job script.
 - If you want to use libhcoll with Open MPI, please remove/modify OMPI_MCA_coll environment variable in your job script.
- Intel MPI problem at the beginning of the operation (in Feb 2023) was solved by modifying parameters of queuing system.
- GAMESS parallel run problem at the beginning of the operation (in Feb 2023) was solved by using Open MPI without hcoll.
 - Please don't try oversubscribing (e.g. ncpus=32:mpiprocs=64). It doesn't improve the performance (even when "setenv OMPI_MCA_mpi_yield_when_idle 1" is active). Although the number of computation process is a half of the total processes, it shows a better performance than the other conditions.
- NWChem problem in TDDFT etc. at the beginning of the operation (in Feb 2023) was solved by changing ARMCI_NETWORK build option from OPENIB to MPI-PR.

